BRAIN RESEARCH

VOL. 659 NOS. 1/2 **CONTENTS** **3 OCTOBER 1994**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Guidelines for the submission of Manuscripts v

Research Reports

Monoamine vesicular uptake sites in patients with Parkinson's disease and Alzheimer's disease, as measured by tritiated dihydrotetrabenazine autoradiography
S. Lehéricy, J.-P. Brandel, E.C. Hirsch, P. Anglade, J. Villares, D. Scherman, C. Duyckaerts, F. Javoy-Agid and Y. Agid (France) 1

$(2_S,1'_R,2'_R,3'_R)$-2-(2,3-Dicarboxycyclopropyl)glycine positively modulates metabotropic glutamate receptors coupled to polyphosphoinositide hydrolysis in rat hippocampal slices
A.A. Genazzani, M.R. L'Episcopo, G. Casabona, H. Shinozaki and F. Nicoletti (Italy, Japan) 10

Sensitization to cocaine's motor activating properties produced by electrical kindling of the medial prefrontal cortex but not of the hippocampus
S. Schenk and S. Snow (USA) 17

Localization of vitronectin- and fibronectin-receptors on cultured human glioma cells
K. Umezawa, S. Asakura, Y.-m. Jin and M. Matsuda (Japan) 23

IT15 gene expression in fetal human brain
L.S. Dure IV, G.B. Landwehrmeyer, J. Golden, S.M. McNeil, P. Ge, H. Aizawa, Q. Huang, C.M. Ambrose, M.P. Duyao, E.D. Bird, M. DiFiglia, J.F. Gusella, M.E. MacDonald, J.B. Penney, A.B. Young and J.-P. Vonsattel (USA) 33

Developmental changes of protein substrates of Ca^{2+}/calmodulin-dependent protein kinase II in the rat forebrain
H. Sugiura and T. Yamauchi (Japan) 42

Threshold and chromatic sensitivity changes in fish cone horizontal cells following prolonged darkness
S.C. Mangel, W.H. Baldridge, R. Weiler and J.E. Dowling (USA) 55

Intracarotid infusion of bradykinin selectively increases blood-tumor permeability in 9L and C6 brain tumors
T. Nomura, T. Inamura and K.L. Black (USA) 62

Glutamate-induced overexpression of NMDA receptor messenger RNAs and protein triggered by activation of AMPA/kainate receptors in rat hippocampus following forebrain ischemia
C. Heurteaux, I. Lauritzen, C. Widmann and M. Lazdunski (France) 67

Selective suppression of intrinsic but not afferent fiber synaptic transmission by baclofen in the piriform (olfactory) cortex
A.C. Tang and M.E. Hasselmo (USA) 75

Diazepam attenuates hyperexcitability and mechanical hypersensitivity of dorsal horn convergent neurones during reperfusion of the rat's tail following ischaemia
S.M. Cartmell and D. Mitchell (South Africa) 82

Metabolism-dependent binding of the heterocyclic amine Trp-P-1 in endothelial cells of choroid plexus and in large cerebral veins of cytochrome P450-induced mice
E.B. Brittebo (Sweden) 91

Neurons projecting from the entopeduncular nucleus to the thalamus receive convergent synaptic inputs from the subthalamic nucleus and the neostriatum in the rat
M.D. Bevan, A.R. Crossman and J.P. Bolam (UK) 99

Protein content and cAMP-dependent phosphorylation of fractionated white perch retina
D.G. McMahon, J.C. Rischert and J.E. Dowling (USA) 110

Direct measurement of glutamate release in the brain using a dual enzyme-based electrochemical sensor
Y. Hu, K.M. Mitchell, F.N. Albahadily, E.K. Michaelis and G.S. Wilson (USA) 117

Effects of the lipid peroxidation inhibitor tirilazad mesylate (U-74006F) on gerbil brain eicosanoid levels following ischemia and reperfusion
P.K. Andrus, B.M. Taylor, F.F. Sun and E.D. Hall (USA) 126

Rat substantia nigra pars reticulata neurones are tonically inhibited via $GABA_A$, but not $GABA_B$, receptors in vitro
C.E. Rick and M.G. Lacey (UK) 133

Spinal cord-skeletal muscle cografts: trophic and functional interactions
K. Trok, R.K. Freund, M.R. Palmer and L. Olson (Sweden, USA) 138

The ontogeny of [^{3}H]γ-hydroxybutyrate and [^{3}H]$GABA_B$ binding sites: relation to the development of experimental absence seizures
O.C. Snead III (USA) 147

Regional suppression by water intake of *c-fos* expression induced by intraventricular infusions of angiotensin II
Z. Xu and J. Herbert (UK) 157

(contents continued on p. 300)

0006-8993(19941003)659:1/2;1-P

BRAIN RESEARCH

VOL. 659 NOS. 1/2 **CONTENTS** **3 OCTOBER 1994**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Guidelines for the submission of Manuscripts v

Research Reports

Monoamine vesicular uptake sites in patients with Parkinson's disease and Alzheimer's disease, as measured by tritiated dihydrotetrabenazine autoradiography
S. Lehéricy, J.-P. Brandel, E.C. Hirsch, P. Anglade, J. Villares, D. Scherman, C. Duyckaerts, F. Javoy-Agid and Y. Agid (France) 1

$(2_S,1'_R,2'_R,3'_R)$-2-(2,3-Dicarboxycyclopropyl)glycine positively modulates metabotropic glutamate receptors coupled to polyphosphoinositide hydrolysis in rat hippocampal slices
A.A. Genazzani, M.R. L'Episcopo, G. Casabona, H. Shinozaki and F. Nicoletti (Italy, Japan) 10

Sensitization to cocaine's motor activating properties produced by electrical kindling of the medial prefrontal cortex but not of the hippocampus
S. Schenk and S. Snow (USA) 17

Localization of vitronectin- and fibronectin-receptors on cultured human glioma cells
K. Umezawa, S. Asakura, Y.-m. Jin and M. Matsuda (Japan) 23

IT15 gene expression in fetal human brain
L.S. Dure IV, G.B. Landwehrmeyer, J. Golden, S.M. McNeil, P. Ge, H. Aizawa, Q. Huang, C.M. Ambrose, M.P. Duyao, E.D. Bird, M. DiFiglia, J.F. Gusella, M.E. MacDonald, J.B. Penney, A.B. Young and J.-P. Vonsattel (USA) 33

Developmental changes of protein substrates of Ca^{2+}/calmodulin-dependent protein kinase II in the rat forebrain
H. Sugiura and T. Yamauchi (Japan) 42

Threshold and chromatic sensitivity changes in fish cone horizontal cells following prolonged darkness
S.C. Mangel, W.H. Baldridge, R. Weiler and J.E. Dowling (USA) 55

Intracarotid infusion of bradykinin selectively increases blood-tumor permeability in 9L and C6 brain tumors
T. Nomura, T. Inamura and K.L. Black (USA) 62

Glutamate-induced overexpression of NMDA receptor messenger RNAs and protein triggered by activation of AMPA/kainate receptors in rat hippocampus following forebrain ischemia
C. Heurteaux, I. Lauritzen, C. Widmann and M. Lazdunski (France) 67

Selective suppression of intrinsic but not afferent fiber synaptic transmission by baclofen in the piriform (olfactory) cortex
A.C. Tang and M.E. Hasselmo (USA) 75

Diazepam attenuates hyperexcitability and mechanical hypersensitivity of dorsal horn convergent neurones during reperfusion of the rat's tail following ischaemia
S.M. Cartmell and D. Mitchell (South Africa) 82

Metabolism-dependent binding of the heterocyclic amine Trp-P-1 in endothelial cells of choroid plexus and in large cerebral veins of cytochrome P450-induced mice
E.B. Brittebo (Sweden) 91

Neurons projecting from the entopeduncular nucleus to the thalamus receive convergent synaptic inputs from the subthalamic nucleus and the neostriatum in the rat
M.D. Bevan, A.R. Crossman and J.P. Bolam (UK) 99

Protein content and cAMP-dependent phosphorylation of fractionated white perch retina
D.G. McMahon, J.C. Rischert and J.E. Dowling (USA) 110

Direct measurement of glutamate release in the brain using a dual enzyme-based electrochemical sensor
Y. Hu, K.M. Mitchell, F.N. Albahadily, E.K. Michaelis and G.S. Wilson (USA) 117

Effects of the lipid peroxidation inhibitor tirilazad mesylate (U-74006F) on gerbil brain eicosanoid levels following ischemia and reperfusion
P.K. Andrus, B.M. Taylor, F.F. Sun and E.D. Hall (USA) 126

Rat substantia nigra pars reticulata neurones are tonically inhibited via $GABA_A$, but not $GABA_B$, receptors in vitro
C.E. Rick and M.G. Lacey (UK) 133

Spinal cord-skeletal muscle cografts: trophic and functional interactions
K. Trok, R.K. Freund, M.R. Palmer and L. Olson (Sweden, USA) 138

The ontogeny of [^{3}H]γ-hydroxybutyrate and [^{3}H]$GABA_B$ binding sites: relation to the development of experimental absence seizures
O.C. Snead III (USA) 147

Regional suppression by water intake of *c-fos* expression induced by intraventricular infusions of angiotensin II
Z. Xu and J. Herbert (UK) 157

(contents continued on p. 300)

0006-8993(19941003)659:1/2;1-P

loid precursor protein in cells cultured under leupeptin (659) 213

Uchida, S., Maloney, T. and Feinberg, I. Sigma (12–16 Hz) and beta (20–28 Hz) EEG discriminate NREM and REM sleep (659) 243
Ueki, T., see Nakanishi, K. (659) 169
Umezawa, K., Asakura, S., Jin, Y.-m. and Matsuda, M. Localization of vitronectin- and fibronectin-receptors on cultured human glioma cells (659) 23

Van Bueren, A.M., see McCall, A.L. (659) 292
Villares, J., see Lehéricy, S. (659) 1
Vonsattel, J.-P., see Dure IV, L.S. (659) 33

Wagner, C.K., see Eaton, M.J. (659) 201
Wagner, E.J., Goudreau, J.L., Moore, K.E. and Lookingland, K.J. GABAergic regulation of tuberoinfundibular dopaminergic neurons in the male rat (659) 194
Waters, A.K., see Prospéro-García, O. (659) 254
Weiler, R., see Mangel, S.C. (659) 55
Weyer, L., see Bergeron, C. (659) 272
Widmann, C., see Heurteaux, C. (659) 67
Wilson, G.S., see Hu, Y. (659) 117
Wise, P.M., see Rosewell, K.L. (659) 231
Woodward, W.R., see McCall, A.L. (659) 292

Xu, Z. and Herbert, J. Regional suppression by water intake of *c-fos* expression induced by intraventricular infusions of angiotensin II (659) 157

Yamada, K., see Kinomura, S. (659) 263
Yamaguchi, T., see Kinomura, S. (659) 263
Yamauchi, T., see Ochiishi, T. (659) 179
Yamauchi, T., see Sugiura, H. (659) 42
Yoshioka, S., see Kinomura, S. (659) 263
Young, A.B., see Dure IV, L.S. (659) 33

(contents continued)

Astrocytic contribution to functioning synapse formation estimated by spontaneous neuronal intracellular Ca^{2+} oscillations
K. Nakanishi, Y. Okouchi, T. Ueki, K. Asai, I. Isobe, Y.Z. Eksioglu, T. Kato, Y. Hasegawa and Y. Kuroda (Japan) 169
Specific distribution of Ca^{2+}/calmodulin-dependent protein kinase II α and β isoforms in some structures of the rat forebrain
T. Ochiishi, T. Terashima and T. Yamauchi (Japan) 179
GABAergic regulation of tuberoinfundibular dopaminergic neurons in the male rat
E.J. Wagner, J.L. Goudreau, K.E. Moore and K.J. Lookingland (USA) 194
Neurochemical identification of A_{13} dopaminergic neuronal projections from the medial zona incerta to the horizontal limb of the diagonal band of Broca and the central nucleus of the amygdala
M.J. Eaton, C.K. Wagner, K.E. Moore and K.J. Lookingland (USA) 201
Effect of diabetes mellitus on responses of the rat basilar artery to activation of beta-adrenergic receptors
W.G. Mayhan (USA) 208
Potentially amyloidogenic fragment of 50 kDa and intracellular processing of amyloid precursor protein in cells cultured under leupeptin
K. Tsuzuki, R. Fukatsu, Y. Takamaru, N. Fujii and N. Takahata (Japan) 213
Mechanism of the hippocampal loss of adenosine sensitivity in calcium-free media
H. Hosseinzadeh and T.W. Stone (UK) 221
TNF-α increases the frequency of spontaneous miniature synaptic currents in cultured rat hippocampal neurons
F. Grassi, A.M. Mileo, L. Monaco, A. Punturieri, A. Santoni and F. Eusebi (Italy) 226
A *period* (*per*)-like protein exhibits daily rhythmicity in the suprachiasmatic nuclei of the rat
K.L. Rosewell, K.K. Siwicki and P.M. Wise (USA) 231

Short Communications

Antibodies to reduced glutathione
A. Amara, M. Coussemacq and M. Geffard (France) 237
Sigma (12–16 Hz) and beta (20–28 Hz) EEG discriminate NREM and REM sleep
S. Uchida, T. Maloney and I. Feinberg (Japan, USA) 243
A putative retinohypothalamic projection containing substance P in the human
R.Y. Moore and J.C. Speh (USA) 249
Intraventricular administration of a FIV-envelope protein induces sleep architecture changes in rats
O. Prospéro-García, N. Herold, A.K. Waters, T.R. Phillips, J.H. Elder and S.J. Henriksen (USA) 254
Adrenocorticotropin and growth hormone secretions after intracerebroventricular administration of neostigmine in rats: their relationships to hypothalamic monoaminergic neuronal activities
M. Gotoh, Y. Hirooka, T. Tajima, A. Iguchi and G.A. Smythe (Japan, Australia) 259
Functional anatomy of taste perception in the human brain studied with positron emission tomography
S. Kinomura, R. Kawashima, K. Yamada, S. Ono, M. Itoh, S. Yoshioka, T. Yamaguchi, H. Matsui, H. Miyazawa, H. Itoh, R. Goto, T. Fujiwara, K. Satoh and H. Fukuda (Japan) 263
trkB-like immunoreactivity in rat dorsal root ganglia following sciatic nerve injury
E. Foster, B. Robertson and K. Fried (Sweden) 267
Copper/zinc superoxide dismutase mRNA levels are increased in sporadic amyotrophic lateral sclerosis motorneurons
C. Bergeron, S. Muntasser, M.J. Somerville, L. Weyer and M.E. Percy (Canada) 272
Immunocytochemical distribution of the brain glucose transporter (GLUT 1) in experimental gliosis
J.M. Rosenstein, N.S. More and J.M. Krum (USA) 277
Induction of c-*fos*-like protein in the spinoparabrachial tract-neurons locating within the sacral parasympathetic nucleus in the rat
Y.-Q. Ding, B.-Z. Qin, J.-S. Li and N. Mizuno (People's Republic of China, Japan) 283
N-Methyl-D-aspartate receptors contribute to afferent synaptic transmission in the medial vestibular nucleus of young rats
Y. Takahashi, T. Tsumoto and T. Kubo (Japan) 287
Immunohistochemical localization of the neuron-specific glucose transporter (GLUT3) to neuropil in adult rat brain
A.L. McCall, A.M. Van Bueren, M. Moholt-Siebert, N.J. Cherry and W.R. Woodward (USA) 292

Author Index 298